




ATHLETIC FACILITIES

LONG JUMP/TRIPLE JUMP

- LJ/TJ Pit Forms
- LJ/TJ Mesh Pit Covers
- LJ/TJ Aluminum Pit Covers

RULE AND STANDARD COMPLIANCE


World Athletics
USATF
NCAA
NFHS



Description of Components

Break formed 1/8" aluminum structures
Aluminum mill finish
TIG welded and reinforced
Interlocking cover ledge

- A. **Aluminum Base Forms**
Contain mating male-female sections
- B. **Aluminum Cover Ledges**
Lengths correspond with base forms




UCS Pour-in-Place Long Jump Pit Form System

A Modular Perfect Fit System



RULE AND STANDARD COMPLIANCE


World Athletics
USATF
NCAA
NFHS



Description of Components

Break formed 1/8" aluminum structures
Aluminum mill finish
TIG welded and reinforced
Interlocking cover ledge

- A. **Aluminum Base Forms**
Contain mating male-female sections
- B. **Aluminum Cover**
Modular panels to guarantee the perfect fit




COMPONENTS:

519-3100 Aluminum Form AND 519-1215 Recessed Aluminum Pit Cover
OR
519-1216 Flush Aluminum Pit Cover

ALUMINUM FORMS




ALUMINUM FORMS




Break formed 1/8" aluminum structures
Aluminum mill finish
TIG welded and reinforced
Interlocking cover ledge

ALUMINUM COVERS

Recessed Aluminum Pit Cover




Flush Aluminum Pit Cover



Aluminum mill finish panels
(4) 100% rust-resistant
9½" x 1¾" extruded aluminum
interlocking tongue and groove
planking with double leg support
2½" x 1½" x ¼" aluminum angle framing
Easy to carry panels (Quantity depends
on the size of the pit)
(4) Removable stainless steel handles
per panel, T-Bar style


RULE AND STANDARD COMPLIANCE
NFHS



Description of Components



Break formed 1/8" aluminum structures
Aluminum mill finish
TIG welded and reinforced
Interlocking cover ledge

- A. **Aluminum Base Forms**
Contain mating male-female sections
- B. **Aluminum Cover Ledges**
Lengths correspond with base forms




UCS Pour-in-Place Long Jump Pit Form System

A Modular Perfect Fit System



RULE AND STANDARD COMPLIANCE

World Athletics
USATF
NCAA
NFHS




Description of Components


Break formed 1/8" aluminum structures
Aluminum mill finish
TIG welded and reinforced
Interlocking cover ledge

- A. **Aluminum Base Forms**
Contain mating male-female sections
- B. **Aluminum Sand Catchers**
Lengths correspond with base forms
- C. **Perforated Rubber Mats**
(24) 17.5" wide x 36" long pieces
- D. **Aluminum Grating**
(24) 36" long pieces

UCS Pour-in-Place Long Jump Pit Form System
A Modular Perfect Fit System



Sand Catcher with Grating and Rubber Mat in Place



Perforated Rubber Mats
17.5" Wide x 36" Long
Qty: 30



RUBBER MATS

Aluminum Grating
18" Wide x 36" Long
Qty: 30



METAL GRATING

48" Sand Catcher
Qty: 1

38.5" Sand Catcher
Qty: 4

96" Sand Catcher
Qty: 8

SAND CATCHERS

48" Sand Catcher with Runway Insert

48" Base Unit
Qty: 2




ALUMINUM FORMS


38.5" Base Unit
Qty: 4

96" Base Unit
Qty: 8

RULE AND STANDARD COMPLIANCE
NFHS




UCS Pour-in-Place Long Jump Pit Form System
A Modular Perfect Fit System



Description of Components


Break formed 1/8" aluminum structures
Aluminum mill finish
TIG welded and reinforced
Interlocking cover ledge

- A. **Aluminum Base Forms**
Contain mating male-female sections
- B. **Aluminum Sand Catchers**
Lengths correspond with base forms
- C. **Perforated Rubber Mats**
(24) 17.5" wide x 36" long pieces
- D. **Aluminum Grating**
(24) 36" long pieces



RULE AND STANDARD COMPLIANCE

NFHS




Description of Components

Break formed 1/8" aluminum structures
Aluminum mill finish
TIG welded and reinforced
Interlocking cover ledge

- A. **Aluminum Base Forms**
Contain mating male-female sections
- B. **Aluminum Cover Ledges**
Modular panels to guarantee perfect fit

UCS Pour-in-Place Long Jump Pit Form System


A Modular Perfect Fit System



COMPONENTS:

519-3101 Aluminum Form AND 519-1215 Recessed Aluminum Pit Cover
OR
519-1216 Flush Aluminum Pit Cover

ALUMINUM FORMS



48" Base Unit
Qty: 2

54.25" Base Unit
Qty: 4


96" Base Unit
Qty: 4

85.5" Base Unit
Qty: 2

Break formed 1/8" aluminum structures
Aluminum mill finish
TIG welded and reinforced
Interlocking cover ledge


ALUMINUM COVERS

Recessed Aluminum Pit Cover



Recessed for Synthetic Surfacing



Flush Aluminum Pit Cover



Aluminum mill finish panels
(4) 100% rust-resistant
9½" x 1¾" extruded aluminum
interlocking tongue and groove
planking with double leg support
2½" x 1½" x ¼" aluminum angle framing
Easy to carry panels (Quantity depends on the size of the pit)
(4) Removable stainless steel handles per panel, T-Bar style

RULE AND STANDARD COMPLIANCE

World Athletics, NCAA, NFHS



Description of Components


Break formed 1/8" aluminum structures
Aluminum mill finish
TIG welded and reinforced
Interlocking cover ledge

- A. **Aluminum Base Forms**
Contain mating male-female sections
- B. **Aluminum Sand Catchers**
Lengths correspond with base forms
- C. **Perforated Rubber Mats**
(24) 17.5" wide x 36" long pieces
- D. **Aluminum Grating**
(24) 36" long pieces
- E. **Aluminum Covers**
Modular panels to guarantee perfect fit

UCS Pour-in-Place Long Jump Pit Form System
A Modular Perfect Fit System


ALUMINUM COVERS

Recessed Aluminum Pit Cover




Recessed for Synthetic Surfacing


Flush Aluminum Pit Cover




Aluminum mill finish panels
(4) 100% rust-resistant
9½" x 1¾" extruded aluminum interlocking tongue and groove planking with double leg support
2½" x 1½" x ¼" aluminum angle framing
Easy to carry panels (Quantity depends on the size of the pit)
(4) Removable stainless steel handles per panel, T-Bar style



RULE AND STANDARD COMPLIANCE
NFHS



UCS Pour-in-Place Long Jump Pit Form System
A Modular Perfect Fit System




Description of Components

Break formed 1/8" aluminum structures
Aluminum mill finish
TIG welded and reinforced
Interlocking cover ledge

- A. **Aluminum Base Forms**
Contain mating male-female sections
- B. **Aluminum Sand Catchers**
Lengths correspond with base forms
- C. **Perforated Rubber Mats**
(24) 17.5" wide x 36" long pieces
- D. **Aluminum Grating**
(24) 36" long pieces
- E. **Aluminum Covers**
Modular panels to guarantee a perfect fit


ALUMINUM COVERS

Recessed Aluminum Pit Cover




Recessed for Synthetic Surfacing

Flush Aluminum Pit Cover



Aluminum mill finish panels
(4) 100% rust-resistant
9½" x 1¾" extruded aluminum
interlocking tongue and groove
planking with double leg support
2½" x 1½" x ¼" aluminum angle framing
Easy to carry panels (Quantity depends on the size of the pit)
(4) Removable stainless steel handles per panel, T-Bar style



- MODEL 519-1224**
- MODEL 519-1230**
- MODEL 519-1232**
- MODEL 519-1297**
- CUSTOM LOGO APPLICATION**
- 510-1299**
- CUSTOM SIZE/ MADE TO ORDER**

Description and Features:

- Mesh 1000 denier 14 x 12 PVC extruded fabric cover with 21 oz knife coated Vinyl pocket and chain sewn into perimeter provides easy day to day use of sand pit
- Available in a Variety of Colors and Logo application is an option

Construction:

- Mesh 1000 denier 14 x 12 PVC extruded fabric
- UCS internal chain border provides weight to help keep the unit in place when not in use


Finish:

- Logo Application is available at an additional charge


Installation:

- Follow manufacturers instructions
- Customer to supply sand for weight of anchors

UCS LJ/TJ MESH PIT COVERS
COLOR OPTIONS:



Model 519-1224:



MODEL 519-1224

MODEL 519-1230

MODEL 519-1232


MODEL 519-1297

CUSTOM LOGO APPLICATION

510-1299

CUSTOM SIZE/ MADE TO ORDER

Model 519-1230:




Finished Size: 12'4" x 32'4"

Chain Pockets
(3.5" wide)

Customer Sand Pit Size:
30' x 10'

Model 519-1232:



Finished Size: 12'4" x 34'4"


Chain Pockets
(3.5" wide)

Customer Sand Pit Size:
32' x 10'

Model 519-1297:



RECESSED FOR SYNTHETIC SURFACING




DESCRIPTION OF COMPONENTS


ALUMINUM MILL FINISH PANELS

- (4) 100% Rust-resistant
- 9½" x 1¾" extruded aluminum interlocking tongue and groove planking - with double leg support
- 2½" x 1½" x ¼" aluminum angle framing
- Easy to carry panels (Quantity depends on the size of the pit)
- (4) Removable stainless steel handles per panel, T-Bar style

CUSTOM SIZES AVAILABLE

Modular panels are custom made for the perfect fit in any existing pit.






DESCRIPTION OF COMPONENTS

CUSTOM SIZES AVAILABLE

ALUMINUM MILL FINISH PANELS

- (4) 100% Rust-resistant
- 9½" x 1¾" extruded aluminum interlocking tongue and groove planking - with double leg support
- 2½" x 1½" x ¼" aluminum angle framing
- Easy to carry panels (Quantity depends on the size of the pit)
- (4) Removable stainless steel handles per panel, T-Bar style



Modular panels are custom made for the perfect fit in any existing pit.